# Subject index


A

Acne vulgaris in latissimus dorsi musculocutaneous flap, 265
Alar-columellar flap in reconstruction of ala nasi and tip of nose, 161
Alopecia treatment
  scalp expansion flaps, 542
  tissue expansion, 42
Anaesthesia, local, adjunctive use of hyaluronidase, 553
Antecubital fossa, coverage with island forearm flap, 533
Anterior tibial flap, reverse-pedicled, in reconstruction of lower leg and foot, 327
Apert's syndrome, psychiatric profile of children before and after reconstructive surgery, 510
Arms
  immobilisation of crossarm flaps, 260
  upper
    flap pedicled on cephalic vein with arterial anastomosis in head and neck reconstruction, 451
    reverse flap, 458
Arteries
  anterior chest wall, 287
  correlation between size and anatomical territory of cutaneous supply, 300
  *see also specific arteries*

B

Balloon catheter in control of carotid arterial haemorrhage, 72
Blepharophimosis, with ptosis and epicanthus inversus, 244
Blepharoplasty, blindness following, 213
Blood flow
  assessment in free flaps
    using deep body thermometer, 125
    using Doppler ultrasound implanted probe, 118
    using laser Doppler flowmeter, 229
  radial forearm flap, 441
  Technetium-99m pertechnate clearance in study of, 312
Bone grafts, metallic plate stabilisation in craniofacial surgery, 341
Brachial plexus cord compression by tendon of pedicled latissimus dorsi flap, 514
Braithwaite, Fenton: obituary, 278
Breast
  long-term complications of polyurethane-covered implants, 548
  reconstruction
    acne in latissimus dorsi musculocutaneous flap, 265
    search for volumetric symmetry after mastectomy, 379
  reduction mammoplasty, psychological study, 222
  small ptotic: reposition autoaugmentation mammaplasty, 76
British Microsurgical Society meetings, 142
Burns, little finger, sequelae, 225

C

Carotid artery haemorrhage in head and neck surgery, control by balloon catheter and embolisation, 72
Chest wall, anterior, vascular territories of, 287
Chinese flaps *see* Radial forearm flaps
Computers, measurement of geometric parameters in plastic surgery research, 307
Craniofacial surgery
  metallic plate stabilisation of bone grafts, 341
  osteotomies in skull base tumour resection, 153
  use of other than specialised centres, 35
Cross-arm flaps, immobilisation, 260
Cross-leg fasciocutaneous, flaps, detachment on 10th day, 491
Curriculum, undergraduate, plastic surgery in, 241
Cutaneous *see* Skin

D

Dazmegrel, effect on random pattern skin flaps, 361
Deferoxamine and skin flap survival, 469
Dermatofibrosarcoma protuberans, surgical management, 262
Down syndrome, psychosocial consequences of facial surgery in children, 498

E

Ears
  prominent, long-term survey of surgery, 270
  severed, reconstruction using temporo-parietal flap, 524
Education, undergraduate, plastic surgery in, 241
Elbow, repair of lesions with radial recurrent fasciocutaneous flap, 458
Embolisation, balloon, in control of carotid artery haemorrhage, 72
Epicanthus inversus, with ptosis and blepharophimosis, 244
Epigastric flap, free inferior, in scalp and skull reconstruction, 483
Ethamsylate, use to overcome problems of Opsite dressings on donor sites, 516
Eyelids
  horizontal excision and suture of benign lesions, 395
  meningocele communicating with, 257
  *see also specific disorders of eyelids*

F

Face
  craniofacial operations in other than specialised centres, 35
  craniofacial osteotomies in skull base tumour resection, 153
  craniofacial surgery, metallic plate stabilisation of bone grafts, 341

reconstruction
psychosocial effects in Apert's syndrome children, 510
psychosocial effects in Down syndrome children, 498
social consequences and personal adjustments after surgery, 81
split Chinese forearm flap for oral lining and skin cover, 179
*see also specific parts of face*
Fasciocutaneous flaps
cross-leg, detachment on 10th day, 491
distally based, of leg, 338
pudendal, in repair of hypospadias, 519
radial recurrent, 458
reverse-pedicled anterior tibial, in reconstruction of lower leg and foot, 327
Feet
reconstruction with reverse-pedicled anterior tibial flap, 327
surgical treatment of lichen planus, 402
Fingers, little, post-burn sequelae, 225
Flowmeters, Periflux laser Doppler *see* Periflux laser Doppler flowmeter
Forceps, electrocoaguiating, in scalpel handle, 267
Forearm flaps, radial *see* Radial forearm flaps
Forehead, use of thinned latissimus dorsi flap, 210
Fractures, cover of exposed metal-work, 505
Free flaps
clavicular head of pectoralis major in musculocutaneous flap, 57
deep body thermometer for assessing haemodynamics, 125
inferior epigastric, scalp and skull reconstruction, 483
muscle twitch monitor, 356
in reconstruction of urethra for hypospadiacs, 408
survival after early loss of arterial blood supply, 530
*see also* Microvascular . . .
Free radicals and skin flap survival, 469

G

Gluteus maximus flaps in treatment of pressure ulcers, 66

H

Haemorrhage
carotid artery, control by balloon catheter and embolisation, 72
retrobulbar, in blepharoplasty, 213
Hands
surgical treatment of lichen planus, 402
use of flaps from superficial external pudendal artery and anterior rectus sheath for simultaneous cover of dorsal and volar defects, 321
Head, reconstruction
using free inferior epigastric flap, 483
using upper arm flap pedicled on cephalic vein with arterial anastomosis, 451
Heparin, experimental treatment of tendon injury, 367
History
Henry Tonks and his contemporaries, 3
Sheffield plastic surgery unit, 558
Shotley Bridge General Hospital Plastic Surgery Unit, 422
Stoke Mandeville Plastic Surgery Unit, 85
Hyaluronidase, adjunctive use in local anaesthesia, 553
Hypospadias
reconstruction of urethra by free flap transfer, 408
repair, pudendal fasciocutaneous flap, 519

I

Infra-red coagulator in treatment of cutaneous vascular lesions, 131
Instruments, electrocoagulating forceps in scalpel handle, 267
Island flaps
experimental evaluation of vascular pedicle in, 352
forearm, for coverage of antecubital fossa, 533
musculocutaneous, knee joint salvage, 249
neurovascular, thumb reconstruction, 255

J

Joint replacement, cover of exposed metal-work, 505

K

Kilner–Dott mouth gag modified for access to nasopharynx, 268
Knee joint, plantar musculocutaneous island pedicle flap in salvage of, 249

L

Latissimus dorsi muscle
anatomy of thoracodorsal artery within, 206
flaps
acne in, 265
causing brachial plexus cord compression, 514
in correction of thoracic deformity of Poland's syndrome, 167
thinned, use of, 210
thinning of, thoracodorsal artery and, 206
Legs
detachment of fasciocutaneous cross-leg flaps on 10th day, 491
lower
distally based fasciocutaneous flap, 338
reconstruction with reverse-pedicled anterior tibial flap, 327
Lichen planus, surgical treatment of hands and feet, 402
Limbs, upper *see* Upper limbs; Arms
Lips
cleft
nature and timing of surgery, 274
refinement of "reverse-U" incision for repair of nose deformity, 345
repair, assessment of long term results, 373
reconstructed, reanimation of, 114
reconstruction of both upper and lower by modified Bernard technique, 386

M

Malignant melanoma in the young, 537
Mammaplasty
  autoaugmentation, small ptotic breast, 76
  reduction, psychological effects, 222
Mandible reconstruction
  split Chinese forearm flap, 179
  using scapular spine pedicled on trapezius, 473
Meningocele, discovery during removal of xanthelasmata, 257
Metal-work, exposed, coverage with flaps, 505
Metallic plate stabilisation of bone grafts in craniofacial surgery, 341
Microvascular
  graft, PTFE as, 103
  monitoring
    by deep body thermometer, 125
    by microcomputer linked to laser Doppler flowmeter, 229
    by ultrasound Doppler probe, 118
  *see also* Free flaps
Mouth lining with split Chinese forearm flap, 179
Muscle twitch monitor, 356
Muscles, free transfer, muscle twitch monitor, 356
Musculocutaneous flaps
  clavicular head of pectoralis major, 57
  in cover of exposed metal-work, 505
  gluteus maximus, in treatment of pressure ulcers, 66
  island pedicle, in knee joint salvage, 249
  survival after early loss arterial blood-supply, 530
Mustardé technique, prominent ear surgery, long-term survey, 270

N

Naevi, vascular, treatment with infra-red coagulator, 131
Nasopharynx, access to back wall with Kilner–Dott mouth gag, 268
Neck reconstruction using upper arm flap pedicled on cephalic vein with arterial anastomosis, 451
Nerves
  capping in treatment of neuromata, 239
  injury, motor and sensory recovery in children, 109
  jump function following division, 364
Neurilemmoma of tip of nose, 522
Neuroma, nerve capping in treatment of, 239
Nose
  deformities
    in bilateral cleft palate patients, 193
    cleft-lip, repair by refinement of "reverse-U" incision, 345
  neurilemmoma of tip, 522
  reconstruction of ala nasi and tip using alar-columellar flap, 161
  use of Orthoplast as nasal splint, 414

O

Opsite as donor site dressing, use of Ethamsylate to overcome problems, 516
Orthoplast, use as nasal splint, 414

P

Palate, cleft
  bilateral, and nasal deformities, 193
  effect on ear of late closure of cleft hard palate, 190
  nature and timing of surgery, 274
Pectoralis muscles
  clavicular head of pectoralis major in musculocutaneous free flap, 57
  substitution with latissimus dorsi muscle, Poland's syndrome, 167
Pericranium, tissue expansion in closure of traumatic defect, 417
Periflux laser Doppler flowmeter (PLDF) in free flap monitoring, 229
Pilomatrixoma in child, 139
Plantar musculocutaneous island pedicle flap in knee joint salvage, 249
Poland's syndrome, early correction of thoracic deformity with latissimus dorsi muscle flap, 167
Polytetrafluoroethylene (PTFE) as microvascular graft, 103
Pressure ulcers, treatment with gluteus maximus flaps, 66
Psychology
  consequences of facial surgery in Down syndrome children, 498
  effects of reconstructive surgery in children with Apert's syndrome, 510
  results of reduction mammoplasty, 222
  social consequences and personal adjustment for facial patients, 81
Ptosis
  with blepharophimosis and epicanthus inversus, 244
  breast, correction, 76
Pudendal artery flap, superficial external *see* Superficial external pudendal artery flap
Pudendal fasciocutaneous flaps in repair of hypospadias, 519

R

Radial forearm (Chinese) flap
  based on extended dissection of cephalic vein, 454
  compound osteo-cutaneous, 173
  donor sites, complications, 176
  haemodynamics, 441
  island, in coverage of antecubital fossa, 533
  for oral lining and skin cover, 179
  in reconstruction of urethra for hypospadiacs, 408
Radial recurrent fasciocutaneous flap, 458
Radius, distal
  blood supply to, 173
  as vascularised graft, 173
Rectus sheath, use of flap in hand in combination with superficial external pudendal artery flap, 321

S

Scalp
  expansion flaps, 542
  reconstruction using free inferior epigastric flap, 483
  tissue expansion in closure of traumatic defect, 417
Scalpel with electrocoagulating forceps in handle, 267
Sheffield plastic surgery unit, history, 558

Shotley Bridge General Hospital Plastic Surgery Unit, brief history, 422
Skin
  blood flow, Technetium-99m clearance in study of, 312
  correlation between vessel size and anatomical territory, 300
  flaps
    random pattern, effect of dazmegrel on, 361
    survival of, deferoxamine and, 469
  grafts
    meshed and non-meshed, contraction and growth of wounds, 478
    non-expanded machine-meshed, properties and uses, 462
    pressure device for securing, 566
    revascularisation, scanning electron microscope study, 183
    "tie-over sutures" fixed by staples, 564
  homografts
    behaviour of cell free collagen, 96
    from identical twin, 136
    "second set" phenomenon, 96
  malignant melanoma in the young, 537
  vascular lesions, treatment with infra-red coagulator, 131
Skull base, tumours of, craniofacial osteotomies in resection, 153
Staples, use in large skin grafts, 564
Stoke Mandeville Plastic Surgery Unit, formation and early history, 85
Superficial external pudendal artery flap, use in hand in combination with flap of anterior rectus sheath, 321

T

Technetium 99-m clearance in study of dermal blood flow, 312
Temporo-parietal flap in primary reconstruction of severed ear fragment, 524
Tendon injury, heparin treatment, 367
Thermometers, deep body, in assessment of haemodynamics of free flaps, 125
Thoracodorsal artery within latissimus dorsi muscle, 206
Thumb, degloved, coverage with twin neurovascular island flaps, 255
Tinidazole prophylaxis in head and neck surgery for malignant disease, 526
Tissue expansion
  in closure of traumatic defect of scalp and pericranium, 417
  in treatment of alopecia, 42
Tonks, Henry: an appreciation, 3
Tumours *see sites of tumours and specific tumours*
Twins, homograft survival, 136

U

Ulcers, pressure *see* Pressure ulcers
Ultrasound, Doppler, implanted probe for microvascular monitoring, 118
Upper limbs
  nerve regeneration in children, 109
  *see also* Arms
Urethra, reconstruction in hypospadiacs by microvascular free flap, 408

Z

Z-plasty, relative lengths of lines of Z, 390

# Author index


A

Adham, M. N., jt. author. *See* Jackson, I. T.
Ali, M. H., jt. author. *See* Nield, D. V.
Amarante, J., Costa, H., Reis, J. and Soares, R. A new distally based fasciocutaneous flap of the leg, 338
Anderl, H. and Kerschbaumer, S. Early correction of the thoracic deformity of Poland's syndrome in children with the latissimus dorsi muscle flap: long term follow-up of two cases, 167
Angel, M. F., Narayanan, K., Swartz, W. M., Ramasastry, S. S., Kuhns, D. B., Basford, R. E. and Futrell, J. W. Deferoxamine increases skin flap survival: additional evidence of free radical involvement in ischaemic flap surgery, 469
Arndt, E. M., Lefebvre, A., Travis, F. and Munro, I. R. Fact and fantasy: psychological consequences of facial surgery in 24 Down syndrome children, 498
Arndt, E. M., Travis, F., Lefebvre, A., Niec, A. and Munro, I. R. Beauty and the eye of the beholder: social consequences and personal adjustments for facial patients, 81
Arndt, E. M., jt. author. *See* Lefebvre, A.

B

Banerjee, S., jt. author. *See* Parkash, S.
Bardsley, A. F. Primary reconstruction of a severed ear fragment using a flap of temporo-parietal fascia, 524
Basford, R. E., jt. author. *See* Angel, M. F.
Batchelor, A. B., jt. author. *See* Davison, P. M.
Bell, R. C. A brief history of the Plastic Surgery Unit based on Shotley Bridge General Hospital, 422
Bem, C. and O'Hare, P. M. Case report: reconstruction of the mandible using the scapular spine pedicled upon trapezius muscle; description of the posterior approach to the transverse cervical vessels, 473
Bennett, J. P. Henry Tonks and his contemporaries, 3
Berrino, P., Galli, A., Rainero, M. L. and Santi, P. L. Long-lasting complications with the use of polyurethane-covered breast implants, 548
Bingham, B. J. G., Robertson, A. J. and Morris, A. McG. Tip of nose: an unusual site for a neurilemmoma, 522
Bite, U., jt. author. *See* Jackson, I. T.
Boorman, J. G. and Green, M. F. A split Chinese forearm flap for simultaneous oral lining and skin cover, 179
Briggs, J. C., jt. author. *See* Moss, A. L. H.
Brough, M. D., jt. author. *See* Laitung, J. K. G.
Bruce-Chwatt, A. J. Free-flap monitoring using a microcomputer linked to a laser Doppler flowmeter, 229

C

Campbell Reid, D. A. History of the Sheffield plastic surgery unit, 558
Chapman, C. The immobilisation of cross arm flaps, 260
Chen, H. and Noordhoff, S. Coverage of the degloved thumb with twin neurovascular island flaps: a case report, 255
Cherry, G. W., jt. author. *See* Colver, G. B.
Chhajlani, P., jt. author. *See* Thatte, R. L.
Colver, G. B., Cherry, G. W., Dawber, R. P. R. and Ryan, T. J. The treatment of cutaneous vascular lesions with the infra-red coagulator: a preliminary report, 131
Cormack, G. C., Duncan, M.-J. and Lamberty, B. G. H. The blood supply of the bone component of the compound osteo-cutaneous radial artery forearm flap—an anatomical study, 173
Cormack, G. C. and Lamberty, B. G. H. Cadaver studies of correlation between vessel size and anatomical territory of cutaneous supply, 300
Cormack, G. C. and Lamberty, B. G. H. Measurement of geometric parameters in plastic surgery research: use of the departmental microcomputer, 307
Costa, H., jt. author. *See* Amarante, J.

D

Davies, D. M., jt. author. *See* Rowsell, A. R.
Davies, D. M., jt. author. *See* Timmons, M. J.
Davison, P. M., Batchelor, A. G. and Lewis-Smith, P. A., The properties and uses on non-expanded machine-meshed skin grafts, 462
Davison, P. M., Batchelor, A. G., Wilson, G. R. and Sully, L. The muscle twitch monitor: a rapid unequivocal method of monitoring free muscle transfers, 356
Dawber, R. P. R., jt. author. *See* Colver, G. B.
Dhami, L. D., jt. author. *See* Thatte, R. L.
Duncan, M.-J., jt. author. *See* Cormack, G. C.

E

Eisenberg, N., jt. author. *See* Rowsell, A. R.
Elliot, D. and Wallace, A. F. Ptosis with blepharophimosis and epicanthus inversus, 244

F

Finney, R., jt. author. *See* Waterhouse, N.
Freedlander, E. Brachial plexus cord compression by the tendon of a pedicled latissimus dorsi flap, 514
Fujino, T., jt. author. *See* Inoue, T.
Futrell, J. W., jt. author. *See* Angel, M. F.

G

Galli, A., jt. author. *See* Berrino, P.

Gault, D. T. and Quaba, A. Is flap cover of exposed metalwork worthwhile? A review of 28 cases, 505
Gibson, T. The "second set" phenomenon as first shown in skin allografts. An historical case which shows also the behaviour of cell free collagen, 96
Godfrey, A. M., jt. author. *See* Rowsell, A. R.
Godfrey, A. M., jt. author. *See* Watson, D. J.
Goodship, A. E., jt. author. *See* Williams, I. F.
Green, C., jt. author. *See* Kay, S.
Green, M. F., jt. author. *See* Boorman, J. G.
Greenhalgh, R. M., jt. author. *See* Roberts, J. O.
Griffiths, R. W., jt. author. *See* Waterhouse, N.
Groenevelt, F. Some aspects of the burned little finger, 225

H

Hallock, G. G. Island forearm flap for coverage of the antecubital fossa, 533
Hamm, J. C., Stevenson, T. R. and Mathes, S. J. Knee joint salvage utilising a plantar musculocutaneous island pedicle flap, 249
Harada, K., jt. author. *See* Miyamoto, Y.
Harashina, T. A scalpel handle with electrocoagulating forceps, 267
Harii, K., jt. author. *See* Yanai, A.
Harman, R. R. M., jt. author. *See* Moss, A. L. H.
Harris, J. P., jt. author. *See* O'Brien, C. J.
Harrison, B., jt. author. *See* Ward, C.
Harrison, D. H. Reconstruction of the urethra for hypospadiac cripples by microvascular free flap transfers, 408
Hide, T. A. H., jt. author. *See* Jackson, I. T.
Hirabayashi, S., jt. author. *See* Yanai, A.
Ho, L. C. Y. The small ptotic breast: reposition autoaugmentation mammaplasty, 76
Hodgkinson, P. D. and Rabey, G. P. Three-dimensional nasal morphology in adult bilateral cleft palate patients: a morphanalytic study, 193
Hollyman, J. A., Lacey, J. H., Whitfield, P. J. and Wilson, J. S. P. Surgery for the psyche: a longitudinal study of women undergoing reduction mammoplasty, 222
Hosomi, Y., jt. author. *See* Takayanagi, S.
Huygen, R. E. F., jt. author. *See* Tolhurst, D. E.

I

Iino, T., jt. author. *See* Nakayama, Y.
Inoue, T. and Fujino, T. An upper arm flap, pedicled on the cephalic vein with arterial anastomoses, for head and neck reconstruction, 451

J

Jackson, I. T. and Adham, M. N. Metallic plate stabilisation of bone grafts in craniofacial surgery, 341
Jackson, I. T., Marsh, W. R., Bite, U. and Hide, T. A. H. Craniofacial osteotomies to facilitate skull base tumour resection, 153
Jensen, C. H. and Medgyesi, S. Meningocele communicating to the lower eyelid discovered during removal of xanthelasmata, 257
Jones, B. M., jt. author. *See* Roberts, J. O.

K

Kami, T., jt. author. *See* Nakajima, T.
Kay, S. and Green, C. The effect of a novel thromboxane synthetase inhibitor dazmegrel (UK38485) on random pattern skin flaps in the rat, 361
Kerschbaumer, S., jt. author. *See* Anderl, H.
Khashaba, A. A. and McGregor, I. A. Haemodynamics of the radial forearm flap, 441
Khoo, C. T. K., Molyneux, A. J., Rayment, R. and Saad, M. N. The control of carotid arterial haemorrhage in head and neck surgery by balloon catheter tamponade and detachable balloon embolisation, 72
Klasen, H. J., jt. author. *See* Westerveld, A. W.
Kodama, Y., jt. author. *See* Miyamoto, Y.
Kuhns, D. B., jt. author. *See* Angel, M. F.
Kumar, P. A. V. and Topno, M. A single stage reconstruction of upper and lower lip by modified Bernard technique, 386
Kusumoto, K., jt. author. *See* Takayanagi, S.

L

Lacey, J. H., jt. author. *See* Hollyman, J. A.
Laitung, J. K. G. A modification of the Kilner–Dott mouth gag for improving exposure to the nasopharyngeal area, 268
Laitung, J. K. G., Brough, M. D. and Orton, C. I. Scalp expansion flaps, 542
Lamberty, B. G. H., jt. author. *See* Cormack, G. C.
Lefebvre, A., Travis, F., Arndt, E. M. and Munro, I. R. A psychiatric profile before and after reconstructive surgery in children with Apert's syndrome, 510
Lefebvre, A., jt. author. *See* Arndt, E. M.
Leonard, A. G. and Small, J. O. Tissue expansion in the treatment of alopecia, 42
Lewis-Smith, P. A. Adjunctive use of hyaluronidase in local anaesthesia, 553
Lewis-Smith, P. A., jt. author. *See* Davison, P. M.
Lynch, G. and Quinlan, D. Jump function following nerve division, 364

M

McGregor, I. A., jt. author. *See* Khashaba, A. A.
McGregor, I. A., jt. author. *See* Watson, J. D.
Mahaffey, P. J. and Wallace, A. F. Blindness following cosmetic blepharoplasty—a review, 213
Maillard, G.-F., jt. author. *See* Montandon, D.
Marsh, W. R., jt. author. *See* Jackson, I. T.
Maruyama, Y. and Takeuchi, S. The radial recurrent fasciocutaneous flap: reverse upper arm flap, 458
Mathes, S. J., jt. author. *See* Hamm, J. C.
Matthews, R. N. and Missotten, F. E. M. Early tissue expansion to close a traumatic defect of scalp and pericranium, 417
Matti, B. A. and Nicolle, F. V. Use of Orthoplast as nasal splint, 414
May, J., jt. author. *See* O'Brien, C. J.
Medgyesi, S., jt. author. *See* Jensen, C. H.
Milner, R. H. and Piggot, T. A. A pudendal fasciocutaneous flap: its use in the repair of hypospadias, 519

Milner, R. H. and Piggot, T. A. Acne vulgaris associated with a latissimus dorsi musculocutaneous island flap, 265
Missotten, F. E. M., jt. author. *See* Matthews, R. N.
Missotten, F. E. M., jt. author. *See* Timmons, M. J.
Miyamoto, Y., Harada, K., Kodama, Y., Takahashi, H. and Okano, S. Cranial coverage involving scalp, bone and dura using free inferior epigastric flap, 483
Molyneux, A. J., jt. author. *See* Khoo, C. T. K.
Montandon, D. and Maillard, G.-F. Craniofacial operations and specialised centres; should they have a monopoly? 35
Morris, A.McG., jt. author. *See* Bingham, B. J. G.
Moss, A. L. H. and Briggs, J. C. Cutaneous malignant melanoma in the young, 537
Moss, A. L. H. and Harman, R. R. M. Surgical treatment of painful lichen planus on the hand and foot, 402
Munro, I. R., jt. author. *See* Arndt, E. M.
Munro, I. R., jt. author. *See* Lefebvre, A.

N

Nagata, S., jt. author. *See* Yanai, A.
Nakajima, T., Yoshimura, Y. and Kami, T. Refinement of the "reverse-U" incision for the repair of cleft lip nose deformity, 345
Nakaoka, H., jt. author. *See* Ohtsuka, H.
Nakayama, Y., Soeda, S. and Iino, T. A radial forearm flap based on an extended dissection of the cephalic vein. The longest venouse pedicle? 454
Narayanan, K., jt. author. *See* Angel, M. F.
Nicholls, J. S., jt. author. *See* Williams, I. F.
Nicolle, F. V., jt. author. *See* Matti, B. A.
Niec, A., jt. author. *See* Arndt, E. M.
Nield, D. V., Saad, M. N. and Ali, M. H. Aggressive pilomatrixoma in a child: a case report, 139
Noordhoff, S., jt. author. *See* Chen, H.

O

O'Brien, C. J., Harris, J. P. and May, J. Evaluation of a clinically useful length of 1 mm diameter PTFE as a microvascular graft, 103
O'Hare, P. M., jt. author. *See* Bem, C.
Ohtsuka, H., Saeki, N. and Nakaoka, H. Horizontal excision and suture of benign lesions on the upper and lower eyelids: indications and limitations, 395
Okabe, K., jt. author. *See* Yanai, A.
Okada, T. Revascularisation of free full thickness skin grafts in rabbits: a scanning electron microscope study of microvascular casts, 183
Okano, S., jt. author. *See* Miyamoto, Y.
Opitz, A., jt. author. *See* Rath, T.
Orticochea, M. Reconstruction of the ala nasi and the tip of the nose by means of ar alar-columellar flap, 161
Orton, C. I., jt. author. *See* Laitung, J. K. G.
Ota, C., jt. author. *See* Takayanagi, S.

P

Palmer, J. H. and Taylor, G. I. The vascular territories of the anterior chest wall, 287
Palmer, J. H., jt. author. *See* Saxby, P. J.
Parkash, S. and Banerjee, S. The total gluteus maximus rotation and other gluteus maximus musculocutaneous flaps in the treatment of pressure ulcers, 66
Patil, U. A., jt. author. *See* Thatte, R. L.
Petry, J. J. and Wortham, K. A. Contraction and growth of wounds covered by meshed and non-meshed split thickness skin grafts, 478
Piggot, T. A., jt. author. *See* Milner, R. H.
Piza, H., jt. author. *See* Rath, T.
Poole, M. D., jt. author. *See* Rowsell, A. R.
Poole, M. D., jt. author. *See* Timmons, M. J.
Poole, M. D., jt. author. *See* Watson, D. J.

Q

Quaba, A., jt. author. *See* Gault, D. T.
Quinlan, D., jt. author. *See* Lynch, G.

R

Rabey, G. P., jt. author. *See* Hodgkinson, P. D.
Rainero, M. L., jt. author. *See* Berrino, P.
Ramasastry, S. S., jt. author. *See* Angel, M. F.
Rath, T., Piza, H. and Opitz, A. Survival of a free musculocutaneous flap after early loss of arterial blood supply, 530
Rayment, R., jt. author. *See* Khoo, C. T. K.
Reid, C. D., Taylor, G. I. and Waterhouse, N. The clavicular head of pectoralis major musculocutaneous free flap, 57
Reidy, J. P. The formation and early history of the Stoke-Mandeville Plastic Surgery Unit, 85
Reis, J., jt. author. *See* Amarante, J.
Richards, M. A., jt. author. *See* Rowsell, A. R.
Richardson, R. B., jt. author. *See* Watershouse, N.
Richmond, J. D. and Sutherland, A. B. A new approach to the problems encountered with Opsite as a donor site dressing: systemic ethamsylate, 516
Robbins, T. H. Nerve capping in the treatment of troublesome terminal neuromata, 239
Roberts, J. O., Jones, B. M. and Greenhalgh, R. M. An implanted ultrasound Doppler probe for microvascular monitoring: an experimental study, 118
Robertson, A. J., jt. author. *See* Bingham, B. J. G.
Rohrich, R. J., jt. author. *See* Watson, D. J.
Rowsell, A. R. The place of plastic surgery in the undergraduate surgical curriculum, 241
Rowsell, A. R., Eisenberg, N., Davies, D. M. and Taylor, G. I. The anatomy of the thoracodorsal artery within the latissimus dorsi muscle, 206
Rowsell, A. R., Godfrey, A. M. and Richards, M. A. The thinned latissimus dorsi free flap: a case report, 210
Rowsell, A. R., Poole, M. D. and Godfrey, A. M. Dermatofibrosarcoma protuberans: the problems of surgical management, 262
Ryan, T. J., jt. author. *See* Colver, G. B.

S

Saad, M. N., jt. author. *See* Khoo, C. T. K.
Saad, M. N., jt. author. *See* Nield, D. V.
Saeki, N., jt. author. *See* Ohtsuka, H.
Santi, P. L., jt. author. *See* Berrino, P.

Sauer, E. W., jt. author. *See* Westerveld, A. W.
Sawhney, C. P. Reanimation of lower lip reconstructed by flaps, 114
Saxby, P. J. and Palmer, J. H. The use of an independent panel to assess the long term results of cleft lip repair, 373
Silfverskiold, K. L. A new pressure device for securing skin grafts, 566
Silver, I. A., jt. author. *See* Williams, I. F.
Sleigh, J. D., jt. author. *See* Watson, J. D.
Small, J. D., jt. author. *See* Leonard, A. G.
Soeda, R., jt. author. *See* Amarante, J.
Soeda, S., jt. author. *See* Nakayama, Y.
Stevenson, J. H. and Zuker, R. M. Upper limb motor and sensory recovery after multiple proximal nerve injury in children: a long term review in five patients, 109
Stevenson, T. R., jt. author. *See* Hamm, J. C.
Sully, L., jt. author. *See* Davison, P. M.
Sutherland, A. B., jt. author. *See* Richmond, J. D.
Swartz, W. M., jt. author. *See* Angel, M. F.
Sweeney, G., jt. author. *See* Watson, J. D.

T

Takahashi, H., jt. author. *See* Miyamoto, Y.
Takayama, O., jt. author. *See* Yanai, A.
Takayanagi, S., Ota, C., Kusumoto, K. and Hosomi, Y. Experimental evaluation of vascular pedicle in island flaps, 352
Takeuchi, S., jt. author. *See* Maruyama, Y.
Tan, K. H. Long-term survey of prominent ear surgery: a comparison of two methods, 270
Taylor, G. I., jt. author. *See* Palmer, J. H.
Taylor, G. I., jt. author. *See* Reid, C. D.
Taylor, G. I., jt. author. *See* Rowsell, A. R.
Thatte, M. R., jt. author. *See* Thatte, R. L.
Thatte, R. L., Patil, U. A. and Dhami, L. D. The combined use of the superficial external pudendal artery flap with a flap of the anterior rectus sheath for the simultaneous cover of dorsal and volar defects of the hand, 321
Thatte, R. L., Yelikar, A. D., Chhajlani, P. and Thatte, M. R. Successful detachment of cross-leg fasciocutaneous flaps on the tenth day: a report of 10 cases, 491
Timmons, M. J., Missotten, F. E. M., Poole, M. D. and Davies, D. M. Complications of radial forearm flap donor sites, 176
Tolhurst, D. E. and Huygen, R. E. F. "Tie-over sutures" fixed by staples, 564
Topno, M., jt. author. *See* Kumar, P. A. V.
Travis, F., jt. author. *See* Arndt, E. M.
Travis, F., jt. author. *See* Lefebvre, A.

W

Wallace, A. F., jt. author. *See* Elliot, D.
Wallace, A. F., jt. author. *See* Mahaffey, P. J.
Ward, C. and Harrison, B. The search for volumetric symmetry in reconstruction of the breast after mastectomy, 379
Waterhouse, N., Finney, R., Griffiths, R. W. and Richardson, R. B. Observations on dermal blood flow as reflected by Technetium-99m pertechnetate clearance, 312
Waterhouse, N., jt. author. *See* Reid, C. D.
Watson, D. J., Rohrich, R. J., Poole, M. D. and Godfrey, A. M. The effect on the ear of late closure of the cleft hard palate, 190
Watson, J. D., Sweeney, G., McGregor, I. A. and Sleigh, J. D. Prophylaxis with tinidazole of infection in major head and neck surgery for malignant disease, 526
Wee, J. T. K. Reconstruction of the lower leg and foot with the reverse-pedicled anterior tibial flap: preliminary report of a new fasciocutaneous flap, 327
Westerveld, A. W., Sauer, E. W. and Klasen, H. J. Successful treatment of a severely burned elderly patient with homografts from her identical twin sister, 136
Whitfield, P. J., jt. author. *See* Hollyman, J. A.
Williams, I. F., Nicholls, J. S., Goodship, A. E. and Silver, I. A. Experimental treatment of tendon injury with heparin, 367
Wilson, G. R., jt. author. *See* Davison, P. M.
Wilson, J. S. P., jt. author. *See* Hollyman, J. A.
Wortham, K. A., jt. author. *See* Petry, J. J.

Y

Yanai, A., Harii, K., Hirabayashi, S., Okabe, K. and Takayama, O. Significance of deep body thermometer for assessing haemodynamics of free flaps, 125
Yanai, A., Nagata, S. and Okabe, K. The Z in Z-plasty must have a long trunk, 390
Yelikar, A. D., jt. author. *See* Thatte, R. L.
Yoshimura, Y., jt. author. *See* Nakajima, T.

Z

Zuker, R. M., jt. author. *See* Stevenson, J. H.